

twin **mira**



**mira**  
**UNIC**



## The style of the Mira

Intended design for intended results and maximum performance



## Extraction science and technology of the Mira



DCA group for 1 or 2  
E.S.E. coffee pods

DHA group for 1 or 2  
coffee capsules



First in class espresso shot maker with  
consistent extractions for high quality  
in the cup expectations



Steamglide Lever



Time programmable steam outlet

## Over abundant steam supply with the Mira



Steamair auto-frothing system

The smoothest milk foam to build your specialty and signature espresso beverages



Models	mira	twin mira	tri mira	quattro mira
Width (cm)	34	64	86	108
Depth (cm)	57	57	57	57
Height (cm)	51	51	51	51
Weight (Kg)	39	55	76	96
Boiler capacity (L)	6.3	10.1	15.6	21.9
Voltage (V)	230V Mono (110V)	230V Mono 400V TRI+N	230V Mono 400V TRI+N	230V Mono 400V TRI+N
Power (W)	3000W (1700W)	4700W (option 3000W)	4700W	6800W

Ramel Communication - 04 93 92 00 20 - 12671.GB - Photos Aurélie Jeanmette



# UNIC

## UNIC

Z.I. 4e RUE - B.P. 425  
06515 CARROS CEDEX 1  
FRANCE  
Tél. : (33) 04 92 08 62 60  
Fax : (33) 04 93 29 24 23  
[www.unic.fr](http://www.unic.fr)

## UNIC PARIS

94/96, rue Victor Hugo  
94200 IVRY-SUR-SEINE  
FRANCE  
Tél. : +33 (0)1 46 71 02 07  
Fax : +33 (0)1 46 71 15 79  
[www.unic.fr](http://www.unic.fr)

## UNIC USA CORP.

12407 Mukilteo Speedway  
Suite 250-B  
Lynnwood, WA 98087 - USA  
Tél. : +1 425 353 2700  
Fax : +1 425 353 3918  
[www.unic-usa.com](http://www.unic-usa.com)

## UNIC JAPAN KK

18-5 Nihonbashi Kabuto-cho  
Chuo-Ku 103-0026 TOKYO  
JAPON  
Tél. : +81 356 438 181  
Fax : +81 356 438 838  
[www.unicjapan.co.jp](http://www.unicjapan.co.jp)